Amendments to the Claims:

Listing of Claims:

- 1. (Currently Amended) A <u>shaped article of manufacture comprising a polymer</u> composition comprising a propylene polymer having a melt flow index in the range from 4 to 120 decigrams/minute, di-t-amyl peroxide, and at least one decomposition product of said peroxide t-amyl alcohol, wherein said article is selected from the group consisting of articles for food contact and articles for medical applications, whereby said composition article has agreeable odor characteristics.
- 2. (Currently Amended) The composition article of claim 1 wherein the propylene polymer is selected from the group consisting of homopolymeric polypropylene and copolymers of propylene with other copolymerizable monomers wherein greater than about 50% by weight of the copolymer is comprised of propylene moieties.
- 3. (Currently Amended) The composition article of claim 2 wherein the propylene polymer is homopolymeric polypropylene.
- 4. (Currently Amended) The composition article of claim 2 wherein the propylene polymer is a copolymer of propylene and at least one comonomer selected from the group consisting of ethylene, butylene, and 4-methyl-pentene-1.

- 5. (Canceled)
- 6. (Currently Amended) The composition article of claim 1 wherein the di-t-amyl peroxide is present in a range of from 200 to 2000 parts by weight per million parts by weight of the propylene polymer.
- 7. (Currently Amended) A method of manufacturing a shaped article comprising the steps of:
- A) mixing a propylene polymer having a melt flow index in the range from 1 to 20 decigrams/minute with a vis-breaking amount of di-t-amyl peroxide,
- B) heating the mixture at a temperature effective to decompose the di-t-amyl peroxide until the melt flow index is in the range of from 4 to 120 decigrams/minute, and
- C) shaping an article comprising a mixture comprising the propylene polymer having a melt flow index in the range from 4 to 120 decigrams/minute, di-t-amyl peroxide, and decomposition products of said peroxide t-amyl alcohol, wherein said article is selected from the group consisting of articles for food contact and articles for medical applications, whereby said article has agreeable odor characteristics.
- 8. (Original) The method of claim 7 wherein the propylene polymer is selected from the group consisting of homopolymeric polypropylene and copolymers of propylene with other copolymerizable monomers wherein greater than about 50% by weight of the copolymer is

comprised of propylene moieties.

- 9. (Original) The method of claim 8 wherein the propylene polymer is homopolymeric polypropylene.
- 10. (Original) The method of claim 8 wherein the propylene polymer is a copolymer of propylene and at least one comonomer selected from the group consisting of ethylene, butylene, and 4-methyl-pentene-1.
- 11. (Canceled)
- 12. (Original) The method of claim 7 wherein the di-t-amyl peroxide is present in a range of from 200 to 2000 parts by weight per million parts by weight of the propylene polymer.
- 13. (Canceled)
- 14. (New) The article of claim 1 wherein said article is selected from the group consisting of packaging films, candy wrappers, bottles and containers for foods, bottles and containers for pharmaceuticals, and medical syringes.

- 15. (New) The article of claim 1 wherein said article has a high surface to volume ratio.
- 16. (New) The article of claim 15 wherein said article is a film.
- 17. (New) The method of claim 7 wherein said article is selected from the group consisting of packaging films, candy wrappers, bottles and containers for foods, bottles and containers for pharmaceuticals, and medical syringes.
- 18. (New) The method of claim 7 wherein said article has a high surface to volume ratio.
- 19. (New) The method of claim 18 wherein said article is a film.